Accreditation Identification	JNLA Z90130JP Testing
Name of Conformity Assessment Body	Osaka Laboratories, KAKEN TEST CENTER
Japan Corporate Number	8010005016628
Contact Details	Dept./Div. : - TEL : +81-6-6441-6751 E-mail : - URL : https://en.kaken.or.jp/

International Accreditation Japan

Information on Accredited Testing Laboratory

Date of the update of the information : 2026-06-03

Accreditation Identification:	JNLA Z90130JP Testing
Name of Testing Laboratory:	Osaka Laboratories, KAKEN TEST CENTER
Location of Testing Laboratory:	2-5-19, Edobori, Nishi-ku, Osaka-shi, Osaka, 550-0002, JAPAN
Name of Legal Entity:	KAKEN TEST CENTER
Conformance Accreditation Standard:	ISO/IEC 17025:2017
Expiry Date of Accreditation:	2030-06-04

Name of Laboratory: : Osaka Laboratories, KAKEN TEST CENTER
Address: : 2-5-19, Edobori, Nishi-ku, Osaka-shi, Osaka, 550-0002, JAPAN
Conformity Assessment Activities: : Testing, Reporting of Result and Management Requirement Operation (All Accreditation Scope)

<Scope of Accreditation>

Effective Date of Accreditation: 2026-06-05					
Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notices
Textile	Textile Products	Tests for colour fastness to light, light and perspiration, weathering	colour fastness	Testing Method Standard(s) JIS L 0842 8.3 c) JIS L 0843 8.3 c)	-
				Quotation Standard(s) JIS C 9216 8.11 (2) JIS L 2511 6.10.4 JIS L 4107 7.2 a) JIS L 4212 6.2.1 JIS L 4403 7.2.1	–
		Tests for colour fastness to washing and laundering, dry cleaning and bleaching with hypochlorite	colour fastness	Testing Method Standard(s) JIS L 0844 7.1 (Limitted to A-1, A-2, A-3 and A-4)	–
				Quotation Standard(s) JIS L 2510 6.9.1 and 6.9.2 JIS L 2511 6.10.1 and 6.10.2 JIS L 4105 7.1.1 JIS L 4107 Appendix 2 4.2.1 JIS L 4212 6.2.2 JIS L 4403 7.2.2	–
		Tests for colour fastness to perspiration, water, sea water and transfer of dye	colour fastness	Testing Method Standard(s) JIS L 0848	–
				Quotation Standard(s) JIS L 4107 7.2 c) and Appendix 2 4.2.2 JIS L 4212 6.2.3	–
		Test for tensile strength of textiles	physical property	Testing Method Standard(s) JIS L 1096 8.14.1 a) and 8.14.1 b)	–
				Quotation Standard(s) JIS L 4107 7.4.2 e) and Appendix 2 4.3	–
		Test for dimensional change of textiles	shrinkage performance	Testing Method Standard(s) JIS L 1096 8.39.5 a) 3) and 8.39.5 a) 4) JIS L 1909	–
				Quotation Standard(s) JIS L 4105 7.2 JIS L 4107 7.3 and Appendix 2 4.1 JIS L 4212 6.3 JIS L 4403 7.1	–
		Test for fiber identification, quantitative analysis of fiber mixtures of textile	composition	Testing Method Standard(s) JIS L 1030-1 6.2, 6.3, 6.4, 6.5, 6.6, 6.7 and 6.8 JIS L 1030-2-1 JIS L 1030-2-2 JIS L 1030-2-3 JIS L 1030-2-6 (Limitted to 9.1)	–
				Quotation Standard(s) JIS L 2511 6.11 JIS L 4105 7.8 JIS L 4131 6.2.1	–
		Test for colour fastness to rubbing	colour fastness	Testing Method Standard(s) JIS L 0849	–
				Quotation Standard(s) JIS C 9216 8.11 (1) JIS L 2510 6.9.3 JIS L 2511 6.10.3	–

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notices
(continued)	(continued)	(continued)	(continued)	JIS L 4105 7.1.2 JIS L 4107 7.2 d) and Appendix 2 4.2.3 JIS L 4403 7.2.3	
		Test for bursting strength of textile	physical property	Testing Method Standard(s) JIS L 1096 8.18.1	–
				Quotation Standard(s) JIS L 4107 7.4.2 a) JIS L 4131 6.1.3	–
Antibacterial and Antiviral Activity	Anti-microbial Products	Antibacterial Test	antimicrobial activity value	Testing Method Standard(s) JIS L 1902 8.1 JIS Z 2801 5	–
		Antiviral Test of Textile Products	antiviral activity value	Testing Method Standard(s) JIS L 1922 13.1	*

*The viruses to be tested are limited to those that can be handled in BSL2 facilities.
Remarks: The latest scope of accreditation that are published on the official gazzette,IAJapan web site and so on are applied to the detail of scope of accreditatiion.

(End of Certificate)